

SMART TOILET



AIFOL INTELLIGENT NEW WORLD

舒服至极，美仑美奂。

前瞻科技与时尚设计完美融合。

定义全新品质生活。

让水洗更有内涵，

埃飞灵，水洗文化倡导者

Extremely comfortable and beautiful.

The combination of forward-looking technology
and stylish design.



Define a new quality of life.

Make washing more meaningful,

AIFOL, advocate of washing culture

BRIGHT AND CLEAR MODEL
OF FAMOUS PRODUCTS

明亮澄澈
名品典范



ACRYLIC SHEET

优质亚克力板材
兼顾健康安全

Excellent acrylic plate ensures
health and safety


加厚板材 多层树脂纤维加固
Multi layer resin fiber reinforcement of thickened plate



FASHIONABLE
AND NEW STYLE
时尚焕新派

OPTIONAL COLORS, ALWAYS ONE FOR YOU!
可选配色，总有你喜欢的颜色

亚克力温润如谦谦君子 造型潮流让人过目不忘
Acrylic is as gentle as a modest gentleman
The modeling trend is unforgettable



Rotary side knob for versatile shampoo definition
With a simple knob, it can perfectly switch between four functions: hip wash, bidet wash, flushing and stop. The simple operation can fully complete the soothing, one button in hand, no worries in the toilet, suitable for various needs of the crowd.


Functional description:
Power up: The shuttle halo is all lit (white)
Left- handed: Female wash fully automatic (halo is pink)
Right- handed: Universal wash fully automatic (halo is blue)
Middle button; Press once to enter the seat as the flush function (before any function is activated)
In the working state, press to stop; long press to shut down or boot
Remarks: Drying (halo is red)

MAGIC ROTATION

魔力旋转

魔力旋钮
旋转式侧旋钮，实现多功能舒洗定义
通过一个简单的旋钮，完美切换臀洗、妇洗、冲水、停止四种不同功能，
简单操作便可全自动完成舒洗，一键在手，如厕无忧，适用各种人群需求


功能阐述：
通电：飞梭光环全部点亮（白色）
左旋：女用洗净全自动（光环为粉色）
右旋：通用洗净全自动（光环为蓝色）
中间键：入座后按一下为冲水功能（未启动任意功能前）
在工作状态下，按一下为停止；长按为关机或开机
备注：烘干（光环为红色）



NATIONAL CERTIFIED
ANTIBACTERIAL MATERIAL
the antibacterial rate reaches 99.9%

国家认证抗菌材质，
抗菌率达99.9%

Aifol smart toilet seat uses PP material and other antibacterial technology, which has a long-term and stable antibacterial effect, can effectively inhibit the growth of bacteria and prevent cross-infection



CUSHION INTELLIGENT HEATING

座圈智能加热



intelligent temperature adjustment

220V 交流座圈加热，过程更安全，结果更高效，座圈加热更快。

220V AC seat ring heating, safer process, more efficient results and faster seat ring heating.



座圈加热，座圈温度可适当调节，让如厕倍感温暖，不因外界的温度变化而影响如厕心情。

The seat ring is heated, and the seat ring temperature can be properly adjusted to make the toilet feel warm and not affect the toilet mood due to the change of external temperature.




抗菌座圈，座圈采用抗菌材料，有效避免细菌生长，提高卫生系数，呵护您的健康。

Antibacterial seat ring is made of anti-bacterial materials, which can effectively avoid bacterial growth, improve hygiene coefficient and take care of your health.




通过大量设计与实验，我们在修改的过程中找到最舒适的平衡点，整体造型符合人体工程学。

Through a large number of design and experiments, we found the most comfortable balance point in the process of modification, and the overall shape conforms to ergonomics.



FAST DRYING, BEYOND IMAGINATION.

Through updating air inlet design, time can be cut within 1 minute.



Drying module

烘干模块

内置埃飞灵独有烘干系统，以高性能、低噪音著称，以求最快速度的烘干，给人带来一种愉悦的体验。

The built-in unique drying system of Aifol is famous for its high performance and low noise, so as to achieve the fastest drying and bring a pleasant experience.

Efficient waterproof

高效防水

烘干模块经过防水处理，可以很好的保持使用寿命。

After waterproof treatment, the drying module can maintain its service life.



superior waterproof



secure experience



e. coli,



salmonella



staphylococcus aureus




candida albicans

GIVE YOUR FAMILY
MORE LOVE

POWERFUL STERILIZATION
GIVES FAMILY MORE CARE

nozzle uses 275nm UVC ultraviolet ray physical sterilization. one minute away from the seat,
automatically open sterilization for three minutes, the bactericidal rate of Escherichia coli,
Staph aureus, white read to get 99.99%.



ULTRAVIOLET STERILIZATION

紫外线杀菌
让水洗更净一步



water quality
without sterilization



UV sterilization
water quality


带有医用级 UVLED 杀菌消毒功能，316 不锈钢一体式清洗喷头。清洗前，环状水流会
全面清洗喷嘴；离座后，紫外线则会高效灭除喷嘴上的细菌。保证水洗健康水。

With medical grade UVLED sterilization and disinfection function, 316 stainless steel
integrated cleaning nozzle. Before cleaning, the annular water flow will completely
clean the nozzle; After leaving the seat, the ultraviolet ray will effectively eliminate
the bacteria on the nozzle.Ensure healthy water washing.



ITEM NO.:ET-0001

Size:676x392x502mm
Pit:305mm
Rated Power:1300W




Function:automatic clamshell foot feel loop foot feel flushing leakage protection remote control hip cleaning	female cleaning instant heating adjustable nozzle position adjustable water temperature adjustable cleaning intensity mobile comfortable cleaning	warm air drying seat induction self lighting automatic deodorization
--	--	---



ITEM NO.:ET-0002


Size:676x392x502mm
Pit:305mm
Rated Power:1300W



Function:automatic clamshell foot feel loop foot feel flushing leakage protection remote control hip cleaning	female cleaning instant heating adjustable nozzle position adjustable water temperature adjustable cleaning intensity mobile comfortable cleaning	warm air drying seat induction self lighting automatic deodorization
--	--	---




ITEM NO.:AL-5321-Z
Size:597X398X393mm
Rated Power:1100W



- | | | |
|------------------------------|-----------------------------|-----------------------|
| Function:seat induction | seat heating | nozzle self-cleaning |
| hip cleaning | adjustable seat temperature | instant heating |
| female cleaning | automatic flush | magical knob |
| adjustable water pressure | off seat flushing | automatic clamshell |
| adjustable position | automatic deodorization | foot feel loop |
| adjustable water temperature | soft lighting | power outage flushing |
| warm air dryer | intelligent diagnosis | foot feel flush |
| adjustable dryer temperature | quiet close cover | |

**Product
line diagram**

unit: mm




Dimension: 500x120x1140mm
Material: HDPE
Flush Volume: full flush: 4.5L-7.5L
Half Flush: 3L-4.5L
Operation Panel Size: 236*152mm




AL-11150-1

Wall mounted
concealed water tank



ITEM NO.:AL-11150-1

Size:596x410x349mm
Rated Power:1100W




- | | | |
|------------------------------|----------------------|------------------------------|
| Function:automatic clamshell | nozzle self-cleaning | leakage protection |
| foot feel loop | hip cleaning | ECO |
| LED screen | female cleaning | off seat flushing |
| one-touch button | mobile cleaning | adjustable water temperature |
| automatic deodorization | warm air drying | adjustable seat temperature |
| mechanical flush | remote control | adjustable dryer temperature |



ITEM NO.:T63

Size:675x393x462mm
Pit:300/400mm
Rated Power:1150W




- | | | |
|-----------------------------|-----------------------|------------------------------|
| Function:rotary foam shield | kids function | leakage protection |
| automatic clamshell | hygiene care | ECO |
| foot feel loop | hip cleaning | off seat flushing |
| user mode | female cleaning | soft lighting |
| adjustable ambient lighting | mobile cleaning | adjustable water temperature |
| UV sterilization | warm air drying | adjustable seat temperature |
| nozzle self-cleaning | remote control | adjustable dryer temperature |
| automatic deodorization | power outage flushing | adjustable water pressure |



ITEM NO.: T65

Size:703x425x458m
Pit:300/400mm
Rated Power:1050W



- | | | |
|-------------------------|-----------------------|------------------------------|
| Function:foam shield | hip cleaning | off seat flushing |
| automatic clamshell | female cleaning | soft lighting |
| foot feel loop | mobile cleaning | adjustable water temperature |
| UV sterilization | warm air drying | adjustable seat temperature |
| LED screen | remote control | adjustable dryer temperature |
| one-touch button | power outage flushing | adjustable water pressure |
| nozzle self-cleaning | leakage protection | |
| automatic deodorization | ECO | |


Selective Color





ITEM NO.:T66

Size:681x425x457mm
Pit:300/400mm
Rated Power:1150W




- | | | |
|---|--|---|
| Function:rotary foam shield
automatic clamshell
foot feel loop
user mode
adjustable ambient lighting
UV sterilization
nozzle self-cleaning
automatic deodorization | kids function
hygiene care
hip cleaning
female cleaning
mobile cleaning
warm air dying
remote contral
power outage flushing | leakage protection
ECO
off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|--|---|



ITEM NO.:T70

Size:687x427x439mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|---|---|
| Function:automatic clamshell
foot feel loop
anti-bacterial nozzle
LED screen
one-touch button
nozzle self-cleaning
hip cleaning | female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing
leakage protection
ECO | off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|



ITEM NO.:T68

Size:718x425x455mm
Pit:300/400mm
Rated Power:1200W




- | | | |
|---|---|---|
| Function:foam shield
automatic clamshell
foot feel loop
user mode
adjustable ambient lighting
UV sterilization
cool/warm spa
kids function | nozzle self-cleaning
one-touch button
hip cleaning
female cleaning
mobile cleaning
warm air dying
remote contral
power outage flushing | leakage protection
ECO
off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|



ITEM NO.:AL-11129-0SXJ

Size:687x394x507mm
Pit:300/400mm
Rated Power:120W




- Function:one-touch button
off seat flushing
foot feel flushing
seat heating
soft lighting



ITEM NO.:T69

Size:682x425x480mm
Pit:300/400mm
Rated Power:1200W




- | | | |
|---|--|---|
| Function:automatic clamshell
foot feel loop
ambient lighting
LED screen
nozzle self-cleaning
hip cleaning
female cleaning | mobile cleaning
warm air dying
remote contral
power outage flushing
leakage protection
ECO
off seat flushing | soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|--|---|



ITEM NO.:AL-11139K-1SXP

Size:680x420x465mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|--|---|
| Function:automatic clamshell
foot feel loop
LED screen
one-touch button
anti-bacterial nozzle
nozzle self-cleaning | hip cleaning
female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing | leakage protection
ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|--|---|



ITEM NO.:AL-11151Y-1CSXP

Size:687x427x430mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|--|---|
| Function:automatic clamshell
foot feel loop
LED screen
one-touch button
anti-bacterial nozzle
nozzle self-cleaning | hip cleaning
female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing | leakage protection
ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|--|---|



ITEM NO.:AL-11152Y-1SXP

Size:687x427x450mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|--|---|
| Function:automatic clamshell
foot feel loop
LED screen
one-touch button
anti-bacterial nozzle
nozzle self-cleaning | hip cleaning
female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing | leakage protection
ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|--|---|



ITEM NO.:AL-11151K-1CSXP

Size:687x425x430mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|--|---|
| Function:telescopic knob
UV sterilization
automatic clamshell
foot feel loop
LED screen
one-touch button
nozzle self-cleaning | hip cleaning
female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing
leakage protection | ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|--|---|

Selective Color



ITEM NO.:AL-11153Y-1SXP

Size:687x427x450mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|--|---|
| Function:automatic clamshell
foot feel loop
LED screen
one-touch button
anti-bacterial nozzle
nozzle self-cleaning | hip cleaning
female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing | leakage protection
ECO
off seat flushing
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|---|--|---|



ITEM NO.:AL-11155-1SXP

Size:686x425x480mm
Pit:300mm
Rated Power:1200W




- | | | |
|---|--|--|
| Function:rotary foam shield
automatic clamshell
foot feel loop
one-touch button
UV sterilization
LED screen
nozzle self-cleaning
automatic deodorization | hip cleaning
female cleaning
mobile cleaning
warm air dying
remote contral
power outage flushing
leakage protection
ECO | off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|--|--|



ITEM NO.:AL-11156-0SXJ

Size:675x418x479mm
Pit:300/400mm
Rated Power:120W




Function:automatic clamshell
foot feel loop
one-touch button
off seat flushing
foot feel flushing
seat heating
soft lighting
adjustable seat temperature



ITEM NO.:AL-11157-1SXP

Size:686x404x483mm
Pit:300/400mm
Rated Power:1200W




Function:rotary foam shield automatic clamshell foot feel loop one-touch button UV sterilization LED screen nozzle self-cleaning automatic deodorization	hip cleaning female cleaning mobile cleaning warm air drying remote contral power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature adjustable water pressure
---	---	--



ITEM NO.:AL-11156-SXJ

Size:675x418x479mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying remote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AF-3210-B

Size:700x425x480mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button ambient lighting nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying remote contral power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	---	---



ITEM NO.:AL-11156-1SXP

Size:675x418x479mm
Pit:300/400mm
Rated Power:1300W




Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning	female cleaning mobile cleaning warm air dying remote contral power outage flushing leakage protection ECO	off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
---	--	---



ITEM NO.:AL-11129-CSXJ

Size:687x394x507mm
Pit:300/400mm
Rated Power:1300W



Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying remote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---




AL-11158K-1SXP



ITEM NO.:AL-11158K-1SXP

Size:702x423x702mm
Pit:300/400mm
Rated Power:1050W




- | | | |
|---|---|---|
| Function:foam shield
automatic clamshell
foot feel loop
ambient lighting
UV sterilization
LED screen
one-touch button
nozzle self-cleaning | automatic deodorization
hip cleaning
female cleaning
mobile cleaning
powerful drying
remote contral
power outage flushing
leakage protection | ECO
off seat flushing
soft lighting
adjustable water temperature
adjustable seat temperature
adjustable dryer temperature
adjustable water pressure |
|---|---|---|

Selective Color



ITEM NO.:AL-11129-1CSXP

Size:687x394x507mm
Pit:300/400mm
Rated Power:1300W




- | | | |
|--|---|---|
| Function:foam shield
automatic clamshell
foot feel loop
LED screen
one-touch button
nozzle self-cleaning
hip cleaning
female cleaning | mobile cleaning
warm air dying
remote contral
power outage flushing
leakage protection
ECO
off seat flushing
soft lighting | adjustable water temperature
adjustable seat temperature
adjustable dryer temperature |
|--|---|---|



ITEM NO.:AL-11136-CSXJ

Size:591x427x463mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying romote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AL-11136-1CSXP

Size:591x427x463mm
Pit:300/400mm
Rated Power:1300W




Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying romote contral power outage flushing leakage protection ECO off seat flushing soft lighting	adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---	---



ITEM NO.:AL-11137-1CSXP

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W




Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying romote contral power outage flushing leakage protection ECO off seat flushing soft lighting	adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---	---



ITEM NO.:AL-11138-CSXJ

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying romote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AL-11137-CSXJ

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W




Function: LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning mobile cleaning warm air dying romote contral	power outage flushing leakage protection ECO off seat flushing soft lighting adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---



ITEM NO.:AL-11138-1CSXP

Size:679x419x507mm
Pit:300/400mm
Rated Power:1300W



Function:foam shield automatic clamshell foot feel loop LED screen one-touch button nozzle self-cleaning hip cleaning female cleaning	mobile cleaning warm air dying romote contral power outage flushing leakage protection ECO off seat flushing soft lighting	adjustable water temperature adjustable seat temperature adjustable dryer temperature
--	---	---